



CITROËN RELAY

PRODUCT SPECIFICATIONS

INSPIRÉ
PAR PRO
SINCE 1919

OVER TO YOU

ADVANCED, WELL EQUIPPED AND EFFORTLESSLY FUNCTIONAL.



X.

NEW CITROËN RELAY X SPECIFICATION INCLUDES:

Comfort & Convenience

- Front electric windows
- Twin lens door mirrors with electrically adjustable and heated upper mirror
- 12v socket in cabin
- Full size steel spare wheel
- Reach adjustable steering wheel
- Two cupholders with mobile phone storage in centre of lower dashboard

Safety & Security

- ESC with Hill Start Assist, ABS braking including EBA and EBFD
- Remote central locking with deadlocking and separate locking for cab
- Driver airbag
- Full steel bulkhead (panel van only)
- Daytime running lights

Seating

- Driver's seat with height, rake and reach adjustment
- Dual passenger bench seat

Technology & Entertainment

- DAB radio with Bluetooth® handsfree, USB socket and steering wheel mounted controls
- Telematics box for Free2Move Connect Fleet Services

Exterior Features

- Side rubbing strips
- Steel wheels with centre cap
- Twin unglazed rear doors (opening to 180° - panel van only)
- Nearside sliding side loading door

Window Van Only

- Ladder frame protection behind driver
- Twin glazed rear doors with heated windows (opening to 180°) Glazing to row 2, 3 and nearside sliding side loading door

WORKER.

NEW CITROËN RELAY WORKER SPECIFICATION IN ADDITION TO X INCLUDES:

Comfort and Convenience

- Cruise control with variable speed limiter
- Lower central glovebox (in lieu of cupholders and mobile phone storage)

Safety & Security

- Grip Control with Hill Descent Control Underbody protection plate
- Reinforced suspension

Seating

- Driver's seat with height, rake, reach and lumbar adjustment Driver's seat armrest

Exterior Features

- Multi-season tyres
- Front and rear mudflaps

Technology & Entertainment

- DAB radio with steering mounted controls, 5 inch colour touch screen, Bluetooth® handsfree, & USB socket

ENTERPRISE.

NEW CITROËN RELAY ENTERPRISE SPECIFICATION IN ADDITION TO X INCLUDES:

Comfort & Convenience

- Air conditioning
- Cruise control with variable speed limiter
- Rear parking sensors

Safety & Security

- Alarm

Seating

- Driver's seat with height, rake, reach and lumbar adjustment
- Driver's seat armrest

Technology & Entertainment

- 5" Colour touchscreen with DAB radio, integrated satellite navigation, Bluetooth® handsfree, USB socket and steering wheel mounted controls

Crew Van Only

- Three-seat bench in row 2 with fixed side windows, cloth headlining and non slip floor
- Full, toughened plastic bulkhead with polycarbonate window fixed behind row 2 seats (in-lieu of full steel bulkhead behind row 1)
- Moulded side panels with integrated bottle holders

DRIVER.

NEW CITROËN RELAY DRIVER SPECIFICATION IN ADDITION TO ENTERPRISE INCLUDES:

Comfort & Convenience

- Rear parking sensors and camera

Lighting and Visibility

- LED running lights integrated into the main headlights
- Automatic windscreen wipers
- Automatic lights

Exterior Features

- Full wheel trims

Technology & Entertainment

- USB charging socket on dashboard

Safety & Security

- **Drive Assist Pack** – Active Safety Brake, collision alert, Lane Departure Warning, smart beam headlights and speed limit recognition



	X	Worker	Enterprise	Driver	Crew Van Enterprise	Window Van X
--	---	--------	------------	--------	---------------------	--------------

DIESEL ENGINES	X	Worker	Enterprise	Driver	Crew Van Enterprise	Window Van X
BlueHDi 120 S&S	•		•			•
BlueHDi 140 S&S	•	•	•	•	•	•

For full engine availability please refer to the Technical Specifications and Price Insert.

EQUIPMENT SPECIFICATION

To make choosing straightforward and enjoyable, we've worked hard to ensure that the information in this brochure is accurate at the time it was created in December 2019. It's important to remember that Citroën can introduce changes to the equipment and accessories featured, although these wouldn't alter the essential character and design of the models. Naturally the images and specifications are also dependent on trim level and any options included.

We know how important it is to present the right facts and figures, so our brochures are regularly updated, however it is important that you consult your dealer when ordering your vehicle to ensure you are advised of the latest specifications and equipment.

Standard equipment ●
Optional factory fitted equipment ○

Option availability varies according to version/engine/trim level.
Some options are only available as part of a pack.
Please refer to the options page for further information.

	Panel Van					
	X	Worker	Enterprise	Driver	Crew Van	Enterprise Window Van X
TECHNOLOGY & ENTERTAINMENT						
Telematics box for Free2Move Connect Fleet services	●	●	●	●	●	●
DAB radio with steering mounted controls, Bluetooth® handsfree and USB socket	●					●
5" Colour touchscreen with DAB radio, Bluetooth® handsfree, USB socket and steering wheel mounted controls		●				
5" Colour touchscreen with DAB radio, integrated satellite navigation, Bluetooth® handsfree, USB socket and steering wheel mounted controls	○	○	●	●	●	○
COMFORT AND CONVENIENCE						
Variable assisted power steering	●	●	●	●	●	●
Gear shift indicator	●	●	●	●	●	●
Twin lens door mirrors with electrically adjustable and heated upper mirror	●	●	●	●	●	●
Rear parking sensors	○	○	●	●	●	○
Rear view camera	○	○	○	●	○	○
Electric front windows	●	●	●	●	●	●
Reach adjustable steering wheel	●	●	●	●	●	●
Central dash folding clipboard (deleted with passenger airbag)			●		●	
Manual air-conditioning for cab area, including glovebox	○	○	●	●	●	○
SAFETY & SECURITY						
Drive Assist Pack – Speed limit recognition, smart beam headlights, Active Safety Brake, collision alert and Lane Departure Warning system	○	○	○	●	○	○
ABS	●	●	●	●	●	●
Electronic Stability Control (ESC)	●	●	●	●	●	●
Emergency Braking Assistance	●	●	●	●	●	●
EBFD (Electronic Brake Force Distribution)	●	●	●	●	●	●
Thatcham rolling transponder immobiliser	●	●	●	●	●	●
Oil level indicator	●	●	●	●	●	●
Cruise control with variable speed limiter	○	●	●	●	●	○
Driver's airbag	●	●	●	●	●	●

	Panel Van					
	X	Worker	Enterprise	Driver	Crew Van	Enterprise Window Van X
SAFETY & SECURITY (CONTINUED)						
Full size steel spare wheel	●	●	●	●	●	●
Three x3 point inertia reel, height adjustable seatbelts (Two with single passenger seat)	●	●	●	●	●	●
Perimetric alarm	○	○	●	●	●	○
Deadlocks	●	●	●	●	●	●
High frequency remote control central locking with 3-button fliplip	●	●	●	●	●	●
Visible Vehicle Identification Number (at base of windscreen)	●	●	●	●	●	●
LIGHTING & VISIBILITY						
Halogen headlights with clear polycarbonate lenses	●	●	●	●	●	●
Front LED daytime running lights	○	○	○	●	○	○
2 speed, intermittent front windscreen wipers (non-automatic)	●	●	●		●	●
Visibility Pack – automatic lights and windscreen wipers	○	○	○	●	○	○
Remote headlight adjustment from fascia	●	●	●	●	●	●
Tinted windows	●	●	●	●	●	●
Laminated windscreen	●	●	●	●	●	●
Manually folding door mirrors	●	●	●	●	●	●
DOORS & WINDOWS						
Rear doors opening to 180°	●	●	●	●	●	●
Nearside sliding side loading door	●	●	●	●	●	●
Fixed side windows in row 2					●	●
Unglazed rear doors	●	●	●	●	●	
Glazed rear doors with heated windows	○	○	○		○	●
LOAD CARRYING						
Ladder frame bulkhead						●
Full steel bulkhead	●	●	●	●		
Full, toughened plastic bulkhead with polycarbonate window fixed behind row 2 seats						●
Eight tie-down hooks in the load area (ten on L3 & L4)	●	●	●	●		●
Rear single-leaf suspension	●		●	●	●	●
Rear reinforced twin-leaf suspension	○	●	○	○	○	○

	Panel Van					
	X	Worker	Enterprise	Driver	Crew Van	Enterprise Window Van X
SEATING						
Driver's seat height adjustment	●	●	●	●	●	●
Driver's seat armrest, lumbar adjustment and under seat storage		●	●	●	●	
Passenger bench seat	●	●	●	●	●	●
Three-seat bench in row 2 with adjustable head restraints						●
Non slip hard-wearing front cabin floor covering	●	●	●	●	●	●
INTERIOR STYLE & STORAGE						
Two cup holders and mobile phone storage in centre of lower dashboard	●	○	○		○	●
Lockable, non-illuminated glove box	●	●	●	●	●	●
Lower central glovebox	○	●	●	○	●	○
12v socket in cabin	●	●	●	●	●	●
USB charging socket on dashboard	○	○	○	●	○	○
Load area light (two on H2 & H3)	●	●	●	●	●	●
Row 2 fitted with cloth headlining, non slip floor and moulded side panels with integrated bottle holders						●
WHEELS, TYRES & EXTERIOR STYLE						
Grip Control with Hill Descent Control	○	●	○	○	○	○
Multi-season tyres		●				
Underbody protection plate	○	●	○	○	○	○
Front and rear mudflaps	○	●	○	○	○	○
Full wheel trims	○	○	○	●	○	○
INSTRUMENTS						
Rev counter, water temperature gauge, fuel gauge and trip computer	●	●	●	●	●	●
Battery charge warning	●	●	●	●	●	●
Bulb out warning for side light, headlamp and indicators	●	●	●	●	●	●
Lights on alarm	●	●	●	●	●	●
Door open warning for cab doors	●	●	●	●	●	●

EXTERIOR SPECIFICATION

WHEELS



STANDARD STEEL WHEELS
Tyres: 215/70 R15 C
30,33,35 Panel & Crew Vans



STANDARD STEEL WHEELS
Tyres: 215/75 R16 C
35 Heavy Panel Vans



15" WHEEL TRIMS
Tyres: 215/70 R15 C
30,33,35 Panel Vans



16" WHEEL TRIMS
Tyres: 215/75 R16 C
35 Heavy Panel Vans



15" ALLOY WHEELS
Tyres: 215/70 R15 C
30,33,35 Panel Vans



16" ALLOY WHEELS
Tyres: 215/75 R16 C
35 Heavy Panel Vans

BODY COLOURS



Polar White



Pacific Blue



Imperial Blue



Tiziano Red



Black



Iron Grey (M)




Cumulus Grey (M)



Lake Blue (M)




Golden White (M)



Graphito Grey (M)

INTERIOR TRIMS



'Magnet' trim – dark grey cloth with black and red twill

(M) Metallic

Please note: Colours and pictures shown are for illustration purposes only. Please consult your Dealer for definitive colour and trim/upholstery details.

TECHNICAL SPECIFICATION

VERSIONS	BlueHDi 120 S&S		
	Van	Window Van	
	30	33	33
	L1		
	H1		
ENGINE			
Capacity (cc)	2179		
Cylinders / Valves	4 / 16		
Max power CEE (kW/rpm)	88 (120) / 3500		
Max torque CEE (Nm/rpm)	310 (228) / 1500		
Bore and stroke (mm)	85 x 96		
Fuel system	Diesel - High pressure turbo-charged direct injection		
Euro status	Euro 6.2		
Stop & Start System	•		
TRANSMISSION			
Gearbox	Manual		
Number of Gears	6		
ECONOMY Litres/100km (mpg) <small>(Official Government test fuel consumption figures)</small>			
Low	10.1 - 7.9 (27.9 - 35.9)		
Medium	9.4 - 7.0 (30.1 - 40.3)		
High	9.4 - 7.0 (30.0 - 40.6)		
Extra-high	12.6 - 9.8 (22.4 - 28.9)		
Combined	10.6 - 8.1 (26.6 - 34.9)		
CO₂ EMISSIONS (g/km)	155	154	154
WEIGHTS (kg) with 3 seats / 2 seats			
Gross Vehicle Weight (GVW)	3000	3300	3300
Kerb weight ¹	1875	1875	1875
Mass in service	2058	2058	2058
Maximum Indicative Payload ²	1125	1425	1425
Max plated front axle ³	1680	1800	1800
Max plated rear axle ³	1650	1900	1900
Gross Train Weight (GTW)	5500	5800	5800
Maximum braked towing weight ⁴	2500	2500	2500
Maximum unbraked towing weight	750	750	750
Maximum towball weight	100	100	100
Max roof rack load	150	150	150
BRAKES Front / Rear	Ventilated discs / discs		
SUSPENSION	Front: Independent with Macpherson type struts with coil springs and integral dampers Rear: Longitudinal leaf springs with telescopic hydraulic dampers		
FUEL TANK CAPACITY Litres (gallons)	90 (19.8)		
ADBLUE TANK CAPACITY Litres	18.6		

¹ Without driver. Kerb weight is calculated for a European base specification vehicle including oil, water, lubricants, tools, spare wheel and 90% full fuel tank. Weights may change with the addition of equipment.

² Maximum indicative payload is calculated as the difference between GVW and kerb weight. However, due to manufacturing tolerances and differences in the specification of UK vehicles, the mass in service figure provides a closer indication of the vehicle weight and therefore enables a more realistic payload to be calculated. An individual vehicle must be weighed to establish the exact kerb weight and payload applicable to that vehicle. It is the responsibility of the driver to ensure the vehicle is operated within the legal limits.

³ Within limits of GVW.

⁴ Maximum recommended towing weight within limits of GTW.

Quoted values apply to all trim levels unless detailed.

Figures shown are for comparison purposes only; you should only compare these fuel consumption and CO₂ figures with other vehicles tested using the same technical standard. The fuel consumption you achieve, and CO₂ produced, in real world conditions will depend upon a number of factors: including the accessories fitted (post registration), variations in weather, driving styles and vehicle load. There is a new test WLTP (Worldwide Harmonised Light Vehicles Test Procedure) used to measure fuel consumption and CO₂ figures. The CO₂ figures shown are NEDCeq (New European Driving Cycle Equivalent), calculated using an EC correlation tool which converts WLTP figures to NEDC. These NEDCeq figures are based on the outgoing test cycle. CO₂ and fuel economy figures may vary according to wheel fitment and optional extras fitted.

VERSIONS	BlueHDi 140 S&S								
	Van	Van	Window Van	Van	Van	Crew Van			
	35	35	35	35 Heavy	35	35 Heavy	35		
	L2		L3		L3		L4		
	H1	H2	H2		H2	H3	H2	H3	
ENGINE									
Capacity (cc)	2179								
Cylinders / Valves	4 / 16								
Max power CEE (kW/rpm)	103 (140) / 3750								
Max torque CEE (Nm/rpm)	340 (250) / 1750								
Bore and stroke (mm)	85 x 96								
Fuel system	Diesel - High pressure turbo-charged direct injection								
Euro status	Euro 6.2								
Stop & Start System	•								
TRANSMISSION									
Gearbox	Manual								
Number of Gears	6								
ECONOMY Litres/100km (mpg) <small>(Official Government test fuel consumption figures)</small>									
Low	10.4 - 8.1 (27.1 - 34.9)								
Medium	9.9 - 7.2 (28.4 - 39.3)								
High	9.6 - 7.1 (29.4 - 39.8)								
Extra-high	13.2 - 9.9 (21.4 - 28.6)								
Combined	11.1 - 8.2 (25.5 - 34.3)								
CO₂ EMISSIONS (g/km)	153	159	162	162	166 (169 Worker)	169	166	175	162
WEIGHTS (kg) with 3 seats / 2 seats									
Gross Vehicle Weight (GVW)	3500	3500	3500	3500	3500	3500	3500	3500	3500
Kerb weight ¹	1930	1955	2005	2005	2045	2030	2090	2120	2110
Mass in service	2113	2138	2188	2188	2228	2213	2273	2303	2293
Maximum Indicative Payload ²	1570	1545	1495	1495	1455	1470	1410	1380	1390
Max plated front axle ³	1870	1870	1870	1870	2100	1870	2100	2100	1870
Max plated rear axle ³	2000	2000	2000	2000	2400	2000	2400	2400	2000
Gross Train Weight (GTW)	6000	6000	6000	6000	6500	6000	6500	6500	6000
Maximum braked towing weight ⁴	2500	2500	2500	2500	3000	2500	3000	3000	2500
Maximum unbraked towing weight	750	750	750	750	750	750	750	750	750
Maximum towball weight	100	100	100	100	100	100	120	120	100
Max roof rack load	150	150	150	150	150	150	150	150	150
BRAKES Front / Rear	Ventilated discs / discs								
SUSPENSION	Front: Independent with Macpherson type struts with coil springs and integral dampers Rear: Longitudinal leaf springs with telescopic hydraulic dampers								
FUEL TANK CAPACITY Litres (gallons)	90 (19.8)								
ADBLUE TANK CAPACITY Litres	18.6								

DIMENSIONS

VERSIONS	RELAY L1	RELAY L2		RELAY L3		RELAY L3 CREW VAN	RELAY L4	
Interior dimensions (mm)	H1	H1	H2	H2	H3	H2	H2	H3
Volume (m ³)	8	10	11.5	13	15	10.5	15	17
Load length at floor	2670	3120	3120	3705	3705	3075	4070	4070
Load length at mid-height with bulkhead	2464	2914	2914	3555	3555	2335	3920	3920
Load width (maximum)	1870	1870	1870	1870	1870	1870	1870	1870
Load width between wheel arches	1422	1422	1422	1422	1422	1422	1422	1422
Load height (maximum)	1662	1662	1932	1932	2172	1932	1932	2172
Load height under row 2 bench seat (maximum)	-	-	-	-	-	380	-	-
Side door width	1075	1250	1250	1250	1250	1250	1250	1250
Side door height	1485	1485	1755	1755	1755	1755	1755	1755
Rear doors width	1562	1562	1562	1562	1562	1562	1562	1562
Rear doors height	1520	1520	1790	1790	2030	1790	1790	2030
Load sill height	535 - 565	535 - 565	535 - 565	535 - 565	535 - 565	535 - 565	535 - 565	535 - 565
EXTERIOR DIMENSIONS (MM)								
Wheelbase	3000	3450	3450	4035	4035	4035	4035	4035
Length	4963	5413	5413	5998	5998	5998	6363	6363
Height	2254	2254	2522	2522	2760	2522	2522	2760
Width (excl. door mirrors)	2050	2050	2050	2050	2050	2050	2050	2050
Front overhang	948	948	948	948	948	948	948	948
Rear overhang	1015	1015	1015	1015	1015	1015	1380	1380
STEERING								
Turns from lock to lock	3.87							
Turning circle between kerbs/walls (m) L1	11.26 / 11.44							
Turning circle between kerbs/walls (m) L2	12.64 / 12.84							
Turning circle between kerbs/walls (m) L3 & L4	14.24 / 14.46							

CITROËN & YOU

WITH THE ADDED REASSURANCE OF A WARRANTY, ROUTINE SERVICING AND MAINTENANCE, AS WELL AS 24-HOUR ROADSIDE ASSISTANCE, YOU ARE PROTECTED.

CITROËN WARRANTY

Every new Citroën van has the benefit of a 3 year* warranty package, plus a 5 year anti-perforation** warranty and a 2 year paint warranty.

*2 years' unlimited warranty. No-fee customer option of 1 year's Dealer provided warranty, only on vans sourced from Citroën UK Limited. Note: Dealer provided warranty is limited to 100,000 miles for vans, motorhomes and converted vehicles. **Against all internal to external perforation to bodywork or underbody.

CITROËN MAINTENANCE

From roadside assistance to replacing wear and tear parts or regular servicing, with Citroën Maintenance you have total peace of mind. For a one-off fee or low monthly payment, our experienced engineers will take care of your Citroën, whatever happens. To find out more, contact your Citroën Dealer or Citroën Authorised Repairer.

CITROËN ASSIST

In response to a free telephone call in the UK, Citroën Assistance brings rapid expert roadside assistance to you in an emergency. It comes free of charge for a full year and operates 24 hours a day in all parts of the UK and Europe. Services include nationwide recovery for both van and passengers, a home call service, replacement vehicle, hotel accommodation and vehicle storage if required. Please note, Citroën Assistance only applies to incidents covered by the new vehicle warranty, and excludes non-vehicle faults, such as running out of fuel, mis-fuelling, loss of keys, lock-ins, road traffic accidents and punctures/wheel changes. For more details please contact Citroën at <http://citroen-uk-en.custhelp.com>

CITROËN SERVICING

Available up to 1 year from your vehicle's registration date, but before its first chargeable service, a Citroën Servicing Package enables you to pay in advance for your vehicle's servicing needs for 3 years/35,000 miles. For further information, please contact your Citroën Dealer.

CITROËN MAINTENANCE

Once your vehicle is three years old, it requires an annual MOT Test. This is a legal requirement to check that it meets road safety and environmental standards. Our nationwide network of Citroën Authorised Repairers know your Citroën best, so if your vehicle's MOT Test is due, why not contact your local Citroën dealer? You can be confident that your vehicle will be looked after by one of our expert trained Citroën Technicians, nominated by DVSA as accredited MOT Testers. Plus, whilst your vehicle is with us, we'll carry out a free outstanding manufacturer diagnostic test, check for any new technical updates and carry them out for free - that's the advantage of getting your test done by the people who really know your Citroën.

CITROËN prefers TOTAL - Note: Images and specification descriptions are dependent on trim level and options specified. Every endeavour has been made to ensure that the information and details contained in this brochure were accurate at the time of going to press. However the company reserves the right, whilst preserving the essential characteristics of the models described, to introduce at any time modifications, changes of details, equipment or accessories. Every effort will be made to bring this brochure up to date, but in order to avoid any misunderstanding please consult your Dealer. The Citroën Website contains full information on all Citroën products and offers available in the UK, together with details of our environmental and recycling policies.



TO FIND OUT MORE
visit citroen.co.uk

CITROËN RELAY



PRICES

Prices effective from 1 March 2021.

	EURO 6.2 MODEL	WLTP CO ₂ G/KM*	GVW	MAXIMUM INDICATIVE PAYLOAD**	LOAD CAPACITY	MRB PRICE £s†	
Panel Van	Relay 30 L1H1 BlueHDi 120 S&S 6-speed manual X	221	3000	1125	8.0m ³	£25,655.00	
	Relay 33 L1H1 BlueHDi 120 S&S 6-speed manual X	224	3300	1425	8.0m ³	£27,455.00	
	Relay 35 L2H1 BlueHDi 140 S&S 6-speed manual X	229	3500	1570	10.0m ³	£29,855.00	
	Relay 35 L2H2 BlueHDi 140 S&S 6-speed manual X	241	3500	1545	11.5m ³	£30,655.00	
	Relay 35 L3H2 BlueHDi 140 S&S 6-speed manual X	243	3500	1495	13.0m ³	£31,455.00	
	Relay 35 Heavy L3H2 BlueHDi 140 S&S 6-speed manual X	248	3500	1455	13.0m ³	£31,755.00	
	Relay 35 Heavy L3H2 BlueHDi 140 S&S 6-speed manual Worker	255	3500	1455	13.0m ³	£32,955.00	
	Relay 30 L1H1 BlueHDi 120 S&S 6-speed manual Enterprise	222	3000	1125	8.0m ³	£26,735.00	
	Relay 33 L1H1 BlueHDi 120 S&S 6-speed manual Enterprise	226	3300	1425	8.0m ³	£28,535.00	
	Relay 35 L2H2 BlueHDi 140 S&S 6-speed manual Enterprise	242	3500	1545	11.5m ³	£31,735.00	
	Relay 35 L3H2 BlueHDi 140 S&S 6-speed manual Enterprise	243	3500	1495	13.0m ³	£32,535.00	
	Relay 35 Heavy L3H2 BlueHDi 140 S&S 6-speed manual Enterprise	249	3500	1455	13.0m ³	£32,835.00	
	Relay 35 L3H3 BlueHDi 140 S&S 6-speed manual Enterprise	256	3500	1470	15.0m ³	£33,335.00	
	Relay 35 Heavy L4H2 BlueHDi 140 S&S 6-speed manual Enterprise	250	3500	1410	15.0m ³	£33,635.00	
Crew Van	Relay 40 L4H2 Heavy BlueHDi 140 S&S 6-speed manual Enterprise	221	4000	1870	15.0m ³	£34,995.00	
	Relay 35 L4H3 Heavy BlueHDi 140 S&S 6-speed manual Enterprise	263	3500	1380	17.0m ³	£34,435.00	
	Relay 35 L2H2 BlueHDi 140 S&S 6-speed manual Driver	242	3500	1545	11.5m ³	£33,105.00	
	Relay 35 L3H2 BlueHDi 140 S&S 6-speed manual Driver	244	3500	1495	13.0m ³	£33,905.00	
	Relay 35 Heavy L4H2 BlueHDi 140 S&S 6-speed manual Driver	252	3500	1410	15.0m ³	£35,005.00	
	Relay 35 L3H2 BlueHDi 140 S&S 6-speed manual Enterprise Crew Van	TBC	3500	1390	10.5m ³	£35,550.00	
	Window Van	Relay 33 L1H1 BlueHDi 120 S&S 6-speed manual Window Van X	225	3300	1425	8.0m ³	£27,755.00
		Relay 35 L3H2 BlueHDi 140 S&S 6-speed manual Window Van X	243	3500	1495	13.0m ³	£31,755.00
Relay 40 Heavy BlueHDi 140 S&S 6-speed manual Window Van X		220	4000	1870	15.0m ³	£34,245.00	

All information and prices correct at time of publication, but are subject to change at any time without prior notice (which may occur as a result of matters including, but not limited to, any changes in legislation and/or any changes by the government). Please consult your local Citroën dealer for the most up-to-date prices and specification details for all models. CO₂ figures above are for a standard vehicle without any additional optional equipment. The addition of optional extras could increase the certified CO₂ emission output.

* WLTP figures shown are for comparison purposes and should only be compared to the fuel consumption and CO₂ values of other vans tested to the same technical standard. The fuel consumption achieved, and CO₂ produced, in real world conditions will depend upon a number of factors including, but not limited to: the accessories fitted (pre and post registration); variations in weather; driving styles and vehicle load. The WLTP (Worldwide Harmonised Light Vehicles Test Procedure) is used to measure fuel consumption and CO₂ figures.

** Includes driver

† All Manufacturer's Recommended Basic Prices are exclusive of V.A.T., Delivery to Dealer and Number Plates, Government First Registration Fee and Vehicle Excise Duty.

CITROËN RELAY

PRICES

Prices effective from 1 March 2021.

	EURO 6.2 MODEL	WLTP CO ₂ G/KM*	GVW	PAYLOAD**	MRB PRICE £s†
Chassis Cab	L2 35 BlueHDi 140 S&S 6-speed manual Chassis Cab X	276	3500	1790	£26,925.00
	L3 35 BlueHDi 140 S&S 6-speed manual Chassis Cab X	263	3500	1555	£27,525.00
Chassis Crew Cab	L3 35 BlueHDi 140 S&S 6-speed manual Chassis Crew Cab X	290	3500	1770	£28,775.00
Floor Cab ²	L3 35 BlueHDi 140 S&S 6-speed manual Floor Cab X	262	3500	1795	£27,525.00
Back To Back Cab ³	35 BlueHDi 140 S&S 6-speed manual Back to Back Cab X	261	3500	N/A	£26,300.00
	40 Heavy BlueHDi 140 S&S 6-speed manual Back to Back Cab X	241	4000	N/A	£27,890.00

All information and prices correct at time of publication, but are subject to change at any time without prior notice (which may occur as a result of matters including, but not limited to, any changes in legislation and/or any changes by the government). Please consult your local Citroën dealer for the most up-to-date prices and specification details for all models. CO₂ figures above are for a standard vehicle without any additional optional equipment. The addition of optional extras could increase the certified CO₂ emission output.

* WLTP figures shown are for comparison purposes and should only be compared to the fuel consumption and CO₂ values of other vans tested to the same technical standard. The fuel consumption achieved, and CO₂ produced, in real world conditions will depend upon a number of factors including, but not limited to: the accessories fitted (pre and post registration); variations in weather; driving styles and vehicle load. The WLTP (Worldwide Harmonised Light Vehicles Test Procedure) is used to measure fuel consumption and CO₂ figures.

** Includes driver

† Maximum indicative payload is calculated as the difference between GVW and kerb weight. However, due to manufacturing tolerances and differences in the specification of UK vehicles, the mass in service figure provides a closer indication of the vehicle weight and therefore enables a more realistic payload to be calculated. An individual vehicle must be weighed to establish the exact kerb weight and payload applicable to that vehicle. It is the responsibility of the driver to ensure the vehicle is operated within the legal limits.

¹ Maximum allowable payload. Exact value varies depending on specification of completed vehicle.

² Floor cabs cannot be used for Tipper or Dropsides. They can only be used for vehicles with a completely enclosed box body.

³ On Back to Back Cab, until further notice, AL-KO are unable to provide a chassis equipped with ESC for any wheelbase greater than 4,400mm or for a tandem rear axle (regardless of wheelbase length).

⁴ Please note: there may be a +/- 5% variance in payload of these models, due to natural variations in the raw materials used.

CITROËN RELAY

PRICES

Prices effective from 1 March 2021.



	EURO 6.2 MODEL	GVW	PAYLOAD**	MRB PRICE £s†
Ready to Run Models ⁴	35 L2 BlueHDi 140 S&S 6-speed manual Tipper	3500	1175	£32,680.00
	35 L3 BlueHDi 140 S&S 6-speed manual Crew Cab Tipper	3500	989	£34,580.00
	35 L2 BlueHDi 140 S&S 6-speed manual Dropside	3500	1321	£30,580.00
	35 L3 BlueHDi 140 S&S 6-speed manual Dropside	3500	1292	£31,580.00
	35 L4 BlueHDi 140 S&S 6-speed manual Dropside	3500	1271	£32,580.00
	35 BlueHDi L3 140 S&S 6-speed manual Crew Cab Dropside	3500	1119	£32,580.00
	35 L3 BlueHDi 140 S&S 6-speed manual Luton	3500	1159	£34,580.00
	35 L4 BlueHDi 140 S&S 6-speed manual Luton	3500	1018	£35,580.00
	35 L3 BlueHDi 140 S&S 6-speed manual Curtainside	3500	1034	£35,880.00
	35 L4 BlueHDi 140 S&S 6-speed manual Curtainside	3500	941	£36,880.00
	35 L3 BlueHDi 140 S&S 6-speed manual Low-Floor Luton	3500	1367	£38,280.00
	35 BlueHDi 140 S&S 6-speed manual Crew Van Enterprise	3500	1315	£35,550.00

All information and prices correct at time of publication, but are subject to change at any time without prior notice (which may occur as a result of matters including, but not limited to, any changes in legislation and/or any changes by the government). Please consult your local Citroën dealer for the most up-to-date prices and specification details for all models. CO₂ figures above are for a standard vehicle without any additional optional equipment. The addition of optional extras could increase the certified CO₂ emission output.

* WLTP figures shown are for comparison purposes and should only be compared to the fuel consumption and CO₂ values of other vans tested to the same technical standard. The fuel consumption achieved, and CO₂ produced, in real world conditions will depend upon a number of factors including, but not limited to: the accessories fitted (pre and post registration); variations in weather; driving styles and vehicle load. The WLTP (Worldwide Harmonised Light Vehicles Test Procedure) is used to measure fuel consumption and CO₂ figures.

** Includes driver

† Maximum indicative payload is calculated as the difference between GVW and kerb weight. However, due to manufacturing tolerances and differences in the specification of UK vehicles, the mass in service figure provides a closer indication of the vehicle weight and therefore enables a more realistic payload to be calculated. An individual vehicle must be weighed to establish the exact kerb weight and payload applicable to that vehicle. It is the responsibility of the driver to ensure the vehicle is operated within the legal limits.

¹ Maximum allowable payload. Exact value varies depending on specification of completed vehicle.

² Floor cabs cannot be used for Tippers or Dropsides. They can only be used for vehicles with a completely enclosed box body.

³ On Back to Back Cab, until further notice, AL-KO are unable to provide a chassis equipped with ESC for any wheelbase greater than 4,400mm or for a tandem rear axle (regardless of wheelbase length).

⁴ Please note: there may be a +/- 5% variance in payload of these models, due to natural variations in the raw materials used.

CITROËN RELAY

EQUIPMENT & OPTIONS

Prices effective from 1 March 2021.

	Panel Van			Crew Van	Window Van
X	Worker	Enterprise	Driver	Enterprise	X
TECHNOLOGY & ENTERTAINMENT					
Touch Screen Audio Pack: DAB digital radio with steering mounted controls, 5 inch colour touch screen, Bluetooth® handsfree and USB socket	£350 ¹	• ¹			£350 ¹
Touch Screen Navigation Pack: DAB digital radio with integrated satellite navigation and steering mounted controls, 5 inch colour touch screen, Bluetooth® handsfree and USB socket	£700 ¹	£350 ¹	• ¹	• ¹	£700 ¹
COMFORT & CONVENIENCE					
Cabin overhead storage	£75 ²	£75 ²	£75 ²	£75 ²	£75 ²
Lower central glovebox (in lieu of mobile phone storage and two cupholders)	£40	•	•	£40	£40
Two cup holders and mobile phone storage in centre of lower dashboard (in lieu of lower central glovebox)	•	£50	£50	£50	•
USB Charging socket on dashboard	£30 ³	£30 ³	£30 ³	• ³	£30 ³
Manual air conditioning for cab area, including glovebox	£700	£700	•	•	£700
Automatic air conditioning	£1,335	£1,335	£635	£635	£1,335
Programmable Webasto heater	£650	£650	£650	£650	£650
Rear parking sensors	£250	£250	•	•	£250
Rear view camera	£650 ⁴	£350	£350	•	£350
Blind Spot Monitoring system with Rear Traffic Alert	£600	£600	£200	£200	£600
Retractable step under nearside door					£450
Leather steering wheel and gear lever	£150	£150	£150	£150	£150
SAFETY & SECURITY					
Perimetric alarm	£200	£200	•	•	£200
Passenger airbag	£180 ⁵	£180 ⁵	£180 ⁵	£180 ⁵	£180 ⁴
Front passengers' lateral and curtain airbags	£500 ⁶	£500 ⁶	£500 ⁶	£500 ⁶	£500 ⁵
Cruise Control with programmable speed limiter	£135 ⁷	•	•	•	£135 ⁶
Cruise control with 62mph fixed speed limiter	£170		£70	£70	
62mph fixed speed limiter					£70
Tyre pressure monitor	£200	£200	£200	£200	£200
Active Safety Brake and Lane Departure Warning system	£720 ⁸	£720 ⁸	£720 ⁸	£720 ⁸	£720

A maximum of eight individual options can be ordered. Option packs include more than one individual option and will reduce the amount of additional options available. Please consult your dealer for further details.

* All Manufacturer's Recommended Basic Prices are exclusive of V.A.T., Delivery to Dealer and Number Plates, Government First Registration Fee and Vehicle Excise Duty.

- Standard
- ◇ No cost option

- 1 Mobile phone compatibility can vary by phone manufacturer. Please consult your Dealer for further phone compatibility information.
- 2 Incompatible with front passengers' lateral and curtain airbags (NF04). Standard on Relay 40 versions.
- 3 Replaces 12v socket on dashboard.
- 4 In addition to rear parking sensors. Includes Touch Screen Audio Pack (RC60) on X version.
- 5 Incompatible with optional front passengers' lateral and curtain airbags.
- 6 Single passenger seat without height adjustment and passenger airbag become standard. Incompatible with standard passenger bench seat, cabin overhead storage and passenger airbag.
- 7 Not available on Relay 40 versions.
- 8 Standard on Relay 40 Versions.
- 9 Incompatible with Active Safety Brake and Lane Departure Warning. Includes automatic lights and wipers.
- 10 Available as a special order on 40 Heavy versions only, for conversions which do not legally require a tachograph or speed limiter.
- 11 Present when optional heat-reflecting windscreen or Drive Assist Pack are ordered.
- 12 Not available on L4 versions.
- 13 Available on L4 versions only.
- 14 Includes automatic lights and wipers.
- 15 Includes multi-season tyres.
- 16 Alloy wheels (DZ86/DZ86) and wheel trims are incompatible. 15" wheel trims on 30, 33 and 35 versions.
- 17 30, 33 & 35 versions only. Alloy wheels and wheel trims are incompatible.
- 18 35 Heavy and 40 versions.
- 19 Incompatible with rear adjustable pneumatic suspension (UA04). Standard on Relay 40 versions...
- 20 Includes uprated tyres 225/70R15 on 30, 33 and 35 versions and 225/75R16 on 35 Heavy versions.
- 21 Not available on H3 versions.
- 22 Not available on L3 and L4 versions.
- 23 Includes reinforced Alternator.

CITROËN RELAY

EQUIPMENT & OPTIONS

Prices effective from 1 March 2021.

	Panel Van				Crew Van	Window Van
	Worker	Enterprise	Driver	Enterprise	X	
SAFETY & SECURITY						
Drive Assist Pack: Speed limit recognition, smart beam headlights, Active Safety Brake, collision alert and Lane Departure Warning system	£850 ⁹	£850 ⁹	£850 ⁹	•	£850 ⁹	£850 ⁹
Smart Tachograph (1C)	£450 ⁸	£450 ⁸	£450 ⁸	£450 ⁸		£450 ⁸
Delete Smart tachograph (1C)			£0			£0 ¹⁰
LIGHTING & VISIBILITY						
Visibility Pack: automatic lights and wipers	£200 ¹¹	£200 ¹¹	£200 ¹¹	•	£200 ¹¹	£200 ¹¹
Front LED daytime running lights	£225 ¹²	£225 ¹²	£225 ¹²	•	£225 ¹²	£225 ¹²
Front LED daytime running lights with side markers			£225 ¹³	•		
Front fog lights with headlight washers	£250	£250	£250	£150	£250	£250
Electric folding door mirrors	£150	£150	£150	£150	£150	£150
Heat-reflecting windscreen with automatic lights and wipers	£300 ¹⁴	£300 ¹⁴	£300 ¹⁴	£300 ¹⁴	£300 ¹⁴	
EXTERIOR STYLE						
Metallic paint	£700	£700	£700	£700	£700	£700
Special paint	£700	£700	£700	£700	£700	£700
Look pack: Front LED daytime running lights, front fog lights & wheel trims	£350	£350	£350	•	£350	£350
Front and rear mudflaps	£80	•	£80	£80	£80	£80
WHEELS TYRES & DRIVING CHARACTERISTICS						
Grip control with Hill Descent control	£550 ¹⁵	• ¹⁵	£550 ¹⁵	£550 ¹⁵	£550 ¹⁵	£550 ¹⁵
Underbody protection plate	£150	•	£150	£150	£150	£150
All-road Pack: Grip control with Hill Descent control and underbody protection plate	£625 ¹⁵	• ¹⁵	£625 ¹⁵	£625 ¹⁵	£625 ¹⁵	£625 ¹⁵
Wheel trims	£45 ¹⁶	£45 ¹⁶	£45 ¹⁶	• ¹⁶	£45 ¹⁶	£45 ¹⁶
Alloy wheels - 15"	£385 ¹⁷		£385 ¹⁷	£385 ¹⁷	£385 ¹⁷	£385 ¹⁷
Alloy wheels - 16"	£385 ¹⁸	£385 ¹⁸	£385 ¹⁸	£385 ¹⁸		£385 ¹⁸
Reinforced twin-leaf suspension	£150 ¹⁹	•	£150 ¹⁹	£150 ¹⁹	£150 ¹⁹	£150 ¹⁹
Rear pneumatic suspension (self-adjusting)	£990 ²⁰		£990 ²⁰	£990 ²⁰	£990 ²⁰	£990 ²⁰

A maximum of eight individual options can be ordered. Option packs include more than one individual option and will reduce the amount of additional options available. Please consult your dealer for further details.

* All Manufacturer's Recommended Basic Prices are exclusive of V.A.T., Delivery to Dealer and Number Plates, Government First Registration Fee and Vehicle Excise Duty.

- Standard
- ◇ No cost option

- 1 Mobile phone compatibility can vary by phone manufacturer. Please consult your Dealer for further phone compatibility information.
- 2 Incompatible with front passengers' lateral and curtain airbags (NF04). Standard on Relay 40 versions.
- 3 Replaces 12v socket on dashboard.
- 4 In addition to rear parking sensors. Includes Touch Screen Audio Pack (RC60) on X version.
- 5 Incompatible with optional front passengers' lateral and curtain airbags.
- 6 Single passenger seat without height adjustment and passenger airbag become standard. Incompatible with standard passenger bench seat, cabin overhead storage and passenger airbag.

- 7 Not available on Relay 40 versions.
- 8 Standard on Relay 40 Versions.
- 9 Incompatible with Active Safety Brake and Lane Departure Warning. Includes automatic lights and wipers.
- 10 Available as a special order on 40 Heavy versions only, for conversions which do not legally require a tachograph or speed limiter.
- 11 Present when optional heat-reflecting windscreen or Drive Assist Pack are ordered.
- 12 Not available on L4 versions.
- 13 Available on L4 versions only.
- 14 Includes automatic lights and wipers.
- 15 Includes multi-season tyres.

- 16 Alloy wheels (DZ86/DZ86) and wheel trims are incompatible. 15" wheel trims on 30, 33 and 35 versions.
- 17 30, 33 & 35 versions only. Alloy wheels and wheel trims are incompatible.
- 18 35 Heavy and 40 versions.
- 19 Incompatible with rear adjustable pneumatic suspension (UA04). Standard on Relay 40 versions..
- 20 Includes uprated tyres 225/70R15 on 30, 33 and 35 versions and 225/75R16 on 35 Heavy versions.
- 21 Not available on H3 versions.
- 22 Not available on L3 and L4 versions.
- 23 Includes reinforced Alternator.

CITROËN RELAY

EQUIPMENT & OPTIONS

Prices effective from 1 March 2021.

	Panel Van			Crew Van	Window Van
	Worker	Enterprise	Driver	Enterprise	X
DOORS & WINDOWS					
Glazed rear doors - with heated rear windows and internal rear view mirror	£250	£250	£250	£250	•
Offside sliding side loading door	£350 ²¹	£350 ²¹	£350 ²¹	£350 ²¹	-
Glazed offside sliding side loading door	£370 ²¹	£370 ²¹	£370 ²¹	£370 ²¹	£370 ²¹
DOORS & WINDOWS					
270° opening rear doors	£250	£250	£250	£250	£250
Tinted windows to rows 2 and 3 and rear doors					£110 ²²
Sliding side windows to second row					£160
LOAD CARRYING					
Ladder frame bulkhead	◇	◇	◇	◇	•
Full steel bulkhead with sliding window	£60	£60	£60	£60	
12v socket in load area	£30	£30	£30	£30	£30
SEATING					
Heated driver seat with lumbar adjustment and armrest	£150	£150	£150	£150	£150
Heated driver seat with lumbar adjustment and armrest. Single heated passenger seat without armrest, height or lumbar adjustment and in lieu of standard passenger bench seat	£250	£250	£250	£250	£250
Single passenger seat with armrest, height and lumbar adjustment. In lieu of standard passenger bench seat	◇	◇	◇	◇	◇
CONVERTER EQUIPMENT					
Electrical connections interface box - Only for use for electrical connections for integral elements of a vehicle conversion	£140 ²³	£140 ²³	£140 ²³	£140 ²³	£140 ²³

A maximum of eight individual options can be ordered. Option packs include more than one individual option and will reduce the amount of additional options available. Please consult your dealer for further details.

* All Manufacturer's Recommended Basic Prices are exclusive of V.A.T., Delivery to Dealer and Number Plates, Government First Registration Fee and Vehicle Excise Duty.

- Standard
- ◇ No cost option

- 1 Mobile phone compatibility can vary by phone manufacturer. Please consult your Dealer for further phone compatibility information.
- 2 Incompatible with front passengers' lateral and curtain airbags (NF04). Standard on Relay 40 versions.
- 3 Replaces 12v socket on dashboard.
- 4 In addition to rear parking sensors. Includes Touch Screen Audio Pack (RC60) on X version.
- 5 Incompatible with optional front passengers' lateral and curtain airbags.
- 6 Single passenger seat without height adjustment and passenger airbag become standard. Incompatible with standard passenger bench seat, cabin overhead storage and passenger airbag.

- 7 Not available on Relay 40 versions.
- 8 Standard on Relay 40 Versions.
- 9 Incompatible with Active Safety Brake and Lane Departure Warning. Includes automatic lights and wipers.
- 10 Available as a special order on 40 Heavy versions only, for conversions which do not legally require a tachograph or speed limiter.
- 11 Present when optional heat-reflecting windscreen or Drive Assist Pack are ordered.
- 12 Not available on L4 versions.
- 13 Available on L4 versions only.
- 14 Includes automatic lights and wipers.
- 15 Includes multi-season tyres.

- 16 Alloy wheels (DZ86/DZ86) and wheel trims are incompatible. 15" wheel trims on 30, 33 and 35 versions.
- 17 30, 33 & 35 versions only. Alloy wheels and wheel trims are incompatible.
- 18 35 Heavy and 40 versions.
- 19 Incompatible with rear adjustable pneumatic suspension (UA04). Standard on Relay 40 versions..
- 20 Includes uprated tyres 225/70R15 on 30, 33 and 35 versions and 225/75R16 on 35 Heavy versions.
- 21 Not available on H3 versions.
- 22 Not available on L3 and L4 versions.
- 23 Includes reinforced Alternator.